

BIOLOGICAL ASSESSMENT

COLUMBIA RIVER CHANNEL IMPROVEMENTS PROJECT

December 28, 2001

TABLE OF CONTENTS

EXECUTIVE SUMMARY	ES-1
1 INTRODUCTION.....	1-1
1.1 Channel Improvements Project Background	1-1
1.1.1 <i>History of Channel Improvements.....</i>	<i>1-1</i>
1.1.2 <i>Project Need.....</i>	<i>1-4</i>
1.2 Project Description	1-5
1.2.1 <i>Project Actions</i>	<i>1-5</i>
1.2.2 <i>Study Area Considered in this Report</i>	<i>1-7</i>
1.3 Environmental Regulatory Context for Channel Improvements	1-9
1.3.1 <i>Background on Endangered Species Act Consultation</i>	<i>1-9</i>
1.3.2 <i>Reinitiation of ESA Consultation</i>	<i>1-9</i>
1.3.3 <i>Other Federal Regulatory Compliance.....</i>	<i>1-10</i>
1.3.4 <i>ESA Consultation History</i>	<i>1-11</i>
1.3.5 <i>Reconsultation Process</i>	<i>1-14</i>
1.3.6 <i>Biological Assessment Organization.....</i>	<i>1-15</i>
2 LOWER COLUMBIA RIVER ENVIRONMENTAL SETTING.....	2-1
2.1 Section Organization.....	2-1
2.2 Historical Environmental Conditions	2-4
2.2.1 <i>Historical Condition for Indicators Affecting Habitat-Forming Processes.....</i>	<i>2-6</i>
2.2.2 <i>Historical Condition of Habitat Types</i>	<i>2-13</i>
2.2.3 <i>Historical Condition for Indicators Affecting Habitat Primary Productivity</i>	<i>2-15</i>
2.2.4 <i>Historical Condition for Indicators Affecting Food Web.....</i>	<i>2-20</i>
2.2.5 <i>Historical Condition for Indicators Affecting Growth</i>	<i>2-26</i>
2.2.6 <i>Historical Condition for Indicators Affecting Survival</i>	<i>2-29</i>
2.3 Existing Environmental Conditions	2-33
2.3.1 <i>Existing Condition for Indicators Affecting Habitat-Forming Processes</i>	<i>2-33</i>
2.3.2 <i>Existing Condition of Habitat Types</i>	<i>2-40</i>
2.3.3 <i>Existing Condition for Indicators Affecting Habitat Primary Productivity</i>	<i>2-52</i>
2.3.4 <i>Existing Condition for Indicators Affecting Food Web.....</i>	<i>2-58</i>
2.3.5 <i>Existing Conditions for Indicators Affecting Growth.....</i>	<i>2-62</i>
2.3.6 <i>Existing Conditions for Indicators Affecting Survival.....</i>	<i>2-65</i>

3 PROPOSED ACTION	3-1
3.1 Project Planning and Execution	3-3
3.1.1 <i>Methods</i>	3-3
3.1.2 <i>Timing</i>	3-3
3.2 Description of Project Activities.....	3-4
3.2.1 <i>Hopper Dredging</i>	3-5
3.2.2 <i>Mechanical Dredging</i>	3-6
3.2.3 <i>Pipeline Dredging</i>	3-8
3.2.4 <i>Berth Deepening at Lower Columbia River Ports</i>	3-9
3.2.5 <i>Flowlane Disposal</i>	3-10
3.2.6 <i>Upland Disposal</i>	3-11
3.2.7 <i>Shoreline Disposal</i>	3-15
3.2.8 <i>Ocean Disposal</i>	3-17
3.2.9 <i>Drilling and Blasting</i>	3-19
3.2.10 <i>Conservation Measures</i>	3-20
3.3 Activities Proposed within Respective Reaches	3-20
3.3.1 <i>River Reach A – River Mile 106.5 to 146</i>	3-20
3.3.2 <i>River Reach 1 – River Mile 98 to 106.5</i>	3-20
3.3.3 <i>River Reach 2 – River Mile 84 to 98</i>	3-21
3.3.4 <i>River Reach 3 – River Mile 70 to 84</i>	3-23
3.3.5 <i>River Reach 4 – River Mile 56 to 70</i>	3-23
3.3.6 <i>River Reach 5 – River Mile 40 to 56</i>	3-26
3.3.7 <i>River Reach 6 – River Mile 29 to 40</i>	3-26
3.3.8 <i>River Reach 7 – River Mile 3 to 29</i>	3-30
3.3.9 <i>River Mouth – Reach B (RM 3 to the Outer Edge of the Deep Water Site)</i>	3-30
4 SPECIES AND HABITAT INFORMATION – DESCRIPTION OF SPECIES, HABITAT USE, AND CRITICAL HABITAT	4-1
4.1 Ocean-Type Salmon	4-4
4.1.1 <i>Riverine Reach</i>	4-4
4.1.2 <i>Estuary</i>	4-7
4.1.3 <i>River Mouth</i>	4-8
4.2 Stream-Type Salmon	4-8
4.2.1 <i>Riverine Reach</i>	4-9
4.2.2 <i>Estuary</i>	4-10

4.2.3	<i>River Mouth</i>	4-10
4.3	Trout Species	4-10
4.3.1	<i>Riverine Reach</i>	4-11
4.3.2	<i>Estuary</i>	4-12
4.3.3	<i>River Mouth</i>	4-12
4.4	Critical Habitat.....	4-12
5	CURRENT SYSTEM FUNCTION	5-1
5.1	The Conceptual Model.....	5-1
5.1.1	<i>Habitat-Forming Processes</i>	5-2
5.1.2	<i>Habitat Types</i>	5-8
5.1.3	<i>Habitat Primary Productivity Pathway</i>	5-9
5.1.4	<i>Food Web Pathway</i>	5-9
5.1.5	<i>Growth Pathway</i>	5-17
5.1.6	<i>Survival Pathway</i>	5-19
5.2	Pathways and Indicators	5-21
6	EFFECTS ANALYSIS	6-1
6.1	Project Effects on Indicators	6-1
6.1.1	<i>Suspended Sediment</i>	6-1
6.1.2	<i>Bedload</i>	6-10
6.1.3	<i>Woody Debris</i>	6-13
6.1.4	<i>Turbidity (as related to Habitat-Forming Processes)</i>	6-14
6.1.5	<i>Salinity</i>	6-18
6.1.6	<i>Accretion/Erosion</i>	6-22
6.1.7	<i>Bathymetry (as Related to Bottom Elevation Contours and Water Surface)</i>	6-24
6.1.8	<i>Tidal Marsh and Swamp Habitat</i>	6-27
6.1.9	<i>Shallow Water and Flats Habitat</i>	6-29
6.1.10	<i>Water Column Habitat</i>	6-31
6.1.11	<i>Light</i>	6-32
6.1.12	<i>Nutrients</i>	6-33
6.1.13	<i>Imported Phytoplankton Production</i>	6-35
6.1.14	<i>Resident Phytoplankton Production</i>	6-36
6.1.15	<i>Benthic Algae Production</i>	6-37
6.1.16	<i>Tidal Marsh and Swamp Production</i>	6-38

6.1.17	<i>Deposit Feeders</i>	6-39
6.1.18	<i>Mobile Macroinvertebrates</i>	6-39
6.1.19	<i>Insects</i>	6-41
6.1.20	<i>Suspension/Deposit Feeders</i>	6-42
6.1.21	<i>Suspension Feeders</i>	6-42
6.1.22	<i>Tidal Marsh Macrodetritus</i>	6-43
6.1.23	<i>Resident Microdetritus</i>	6-43
6.1.24	<i>Imported Microdetritus</i>	6-44
6.1.25	<i>Reduction or Increase of Habitat Complexity, Connectivity, and Conveyance</i>	6-45
6.1.26	<i>Velocity Field</i>	6-45
6.1.27	<i>Bathymetry and Turbidity (as Related to Salmonid Growth Opportunities)</i>	6-47
6.1.28	<i>Feeding Habitat Opportunity</i>	6-48
6.1.29	<i>Refugia</i>	6-49
6.1.30	<i>Habitat-Specific Food Availability</i>	6-51
6.1.31	<i>Contaminants</i>	6-52
6.1.32	<i>Disease</i>	6-54
6.1.33	<i>Suspended Solids</i>	6-54
6.1.34	<i>Stranding</i>	6-56
6.1.35	<i>Temperature and Salinity Extremes (as Related to Salmonid Survival)</i>	6-57
6.1.36	<i>Turbidity</i>	6-58
6.1.37	<i>Predation</i>	6-59
6.1.38	<i>Entrainment</i>	6-60
6.2	<i>Effects on Pathways</i>	6-61
6.2.1	<i>Habitat-Forming Processes Pathway</i>	6-61
6.2.2	<i>Habitat Types Pathway</i>	6-63
6.2.3	<i>Habitat Primary Productivity Pathway</i>	6-65
6.2.4	<i>Food Web Pathway</i>	6-66
6.2.5	<i>Growth Pathway</i>	6-66
6.2.6	<i>Survival Pathway</i>	6-67
6.3	<i>Project Effects on Listed Species and their Habitat</i>	6-67
6.3.1	<i>Potential Short-Term Ecosystem Effects</i>	6-67
6.3.2	<i>Shoreline Disposal of Dredge Material</i>	6-67
6.3.3	<i>Potential Long-Term Ecosystem Effects</i>	6-68
6.3.4	<i>Conclusion</i>	6-68
6.4	<i>Activities Not Included in this BA</i>	6-68

7 ACTIONS ASSOCIATED WITH DREDGING AND DISPOSAL [ESA SECTION 7(A)(2)]	7-1
7.1 Introduction.....	7-1
7.2 Risk and Uncertainty	7-1
7.3 Monitoring Actions.....	7-6
7.4 Compliance Actions.....	7-8
8 ECOSYSTEM RESTORATION FEATURES AND RESEARCH ACTIONS [ESA SECTION 7(a)(1)]	8-1
8.1 Introduction.....	8-1
8.2 Ecosystem Restoration Features	8-1
8.2.1 <i>Lois Island Embayment Habitat Restoration (RM 19)</i>	8-1
8.2.2 <i>Purple Loosestrife Control Program</i>	8-3
8.2.3 <i>Miller/Pillar Habitat Restoration (RM 26)</i>	8-4
8.2.4 <i>Tenasillahe Island Interim and Long-Term Restoration</i>	8-5
8.2.5 <i>Cottonwood/Howard Islands Columbia White-Tailed Deer Introduction</i>	8-8
8.2.6 <i>Bachelor Slough Restoration</i>	8-8
8.3 Ecosystem Research Actions	8-10
8.4 Analysis of Effects of Ecosystem Restoration Features and Research Actions.....	8-12
8.4.1 <i>Ecosystem Restoration Features</i>	8-12
8.4.2 <i>Ecosystem Research Actions</i>	8-23
8.5 Conclusion	8-26
9 AN ECOSYSTEM APPROACH TO PROJECT IMPLEMENTATION USING AN ADAPTIVE MANAGEMENT PROCESS	9-1
9.1 Introduction.....	9-1
9.2 Adaptive Management Process.....	9-1
9.3 Adaptive Management for the Project	9-2
9.3.1 <i>No Effects Indicated</i>	9-2
9.3.2 <i>Effects Indicated</i>	9-2
9.4 Conclusion	9-3
10 DETERMINATION OF NEED FOR FORMAL CONSULTATION AND CONFERENCE	10-1
11 ACRONYMS AND ABBREVIATIONS	11-1
12 GLOSSARY	12-1

13 INFORMATION SOURCES 13-1

LIST OF FIGURES

Figure 1-1: Navigation Channel Improvements Project Area.....	1-6
Figure 1-2: Action Area	1-8
Figure 1-3: Channel Improvements Project: ESA Consultation Timeline	1-12
Figure 2-1: Integrated Model for Juvenile Salmonids in the Lower Columbia River.....	2-4
Figure 2-2: River Flows at Bonneville Dam	2-5
Figure 2-3: Sediment Accretion and Erosion in Representative Portion of Columbia River Estuary, 1868-1982.....	2-11
Figure 2-4: Major Habitat Types for Salmonids in the Lower Columbia River	2-13
Figure 2-5: Major Primary Producers in the Lower Columbia River	2-15
Figure 2-6: Salmonid Food Web for the Lower Columbia River	2-22
Figure 2-7: Columbia River Suspended Sediment versus River Discharge at Vancouver, Washington (RM 107). [Note: The 1963-69 and 1978-83 data are from the USGS, and the 1922 data are from the Corps.]	2-34
Figure 2-8: Columbia River Suspended Sediment versus River Discharge at Beaver, Oregon (RM 54). [Note: The 1992-99 and 1978-83 data are from the USGS. The 1922 data are from the Corps]..	2-34
Figure 2-9: Columbia River Turbidity Measured by the USGS at Beaver, Oregon (RM 54).....	2-37
Figure 2-10: Salinity Sections in the Main Navigation Channel.....	2-39
Figure 2-11: Reach 1 Land Cover RM 98-106.5.....	2-42
Figure 2-12: Reach 2 Land Cover RM 84-98.....	2-43
Figure 2-13: Reach 3 Land Cover RM 70-84.....	2-44
Figure 2-14: Reach 4 Land Cover RM 56-70.....	2-45
Figure 2-15: Reach 5 Land Cover RM 40-56.....	2-46
Figure 2-16: Reach 6 Land Cover RM 29-40.....	2-47
Figure 2-17: Reach 7 Land Cover RM 3-29.....	2-48
Figure 2-18a: Habitat Types (Sheet 1 of 2).....	2-50
Figure 2-18b: Habitat Types (Sheet 2 of 2).....	2-51

Figures 2-19a: Primary Producers (Sheet 1 of 2)	2-54
Figures 2-19b: Primary Producers (Sheet 2 of 2)	2-55
Figure 2-20: Carbon Sources in the Estuary	2-56
Figure 3-1: Upland Disposal Site Typical Plan View	3-12
Figure 3-2: Typical Dike Cross Section for a Hypothetical Upland Disposal Site	3-14
Figure 3-3: Ocean Disposal Area	3-18
Figure 3-4: Reach 1 and 2 Disposal Sites and Dredge Areas RM 84-106.5	3-22
Figure 3-5: Reach 3 Disposal Sites and Dredge Areas RM 70-84.....	3-24
Figure 3-6: Reach 4 Disposal Sites and Dredge Areas RM 56-70.....	3-25
Figure 3-7: Reach 5 Disposal Sites and Dredge Areas RM 40-56.....	3-28
Figure 3-8: Reach 6 Disposal Sites and Dredge Areas RM 29-40.....	3-29
Figure 3-9: Reach 7 Disposal Sites and Dredge Areas RM 3-29	3-31
Figure 4-1: Salmonid Sizes in the Lower Columbia River	4-3
Figure 5-1: Integrated Model for Juvenile Salmonids in the Lower Columbia River.....	5-3
Figure 5-2a: Habitat-Forming Process Pathway – Ocean.....	5-4
Figure 5-2b: Habitat-Forming Process Pathway – River	5-5
Figure 5-3: Mixing Zone Between Freshwater and Saltwater	5-7
Figure 5-4: Habitat Type Pathway	5-11
Figure 5-5: Major Habitat Types in the System.....	5-12
Figure 5-6: General Pattern of Lower Columbia River Use by Juvenile Salmonids	5-13
Figure 5-7: Effect of Turbidity on Light Penetration Through the Water Column.....	5-14
Figure 5-8: Habitat Primary Productivity Pathway.....	5-15
Figure 5-9: Food Web Pathway	5-16
Figure 5-10: Growth Pathway	5-18
Figure 5-11: Survival Pathway.....	5-20
Figure 6-1: Cross-Sectional Representation of Vessels in 40-Foot and 43-Foot Channels	6-8

Figure 6-2: Relative Magnitude and Direction of Bedload Transport in a Typical Reach of the Columbia River	6-10
Figure 6-3: Relationship Between Turbidity and Suspended Silt and Clay in the Columbia River at Beaver, Oregon (RM 54).....	6-15
Figure 6-4: Location of the ETM	6-20
Figure 6-5: Characteristic Estuarine Turbidity Maximum (ETM) Variations Under “Three Scenarios” in the Columbia River Estuary	6-21
Figure 7-1: Risk Monitoring Scenarios	7-2
Figure 9-1: Continuous Management – Columbia River Channel Improvements Project	9-8

LIST OF TABLES

Table 1-1: Fish Runs Addressed in This Biological Assessment	1-10
Table 1-2: Listed USFWS Plant and Wildlife Species (addressed in the 1997-99 Consultation)	1-13
Table 1-3: Columbia River Navigation Channel Improvements Project BA Section Outline.....	1-16
Table 2-1: Conceptual Model Pathways and Indicators for Juvenile Salmonid Production in the Lower Columbia River	2-1
Table 3-1: Dredging Timing.....	3-4
Table 3-2: Impact Minimization Practices and Best Management Practices for Dredging	3-9
Table 3-3: Best Management Practices for Disposal	3-16
Table 4-1: Federally Listed Salmonid ESUs/DPSs that Occur in the Action Area	4-1
Table 4-2: Critical Habitat Designations and Descriptions	4-13
Table 5-1: Salinity Zones.....	5-6
Table 6-1. Area-weighted Average Habitat Opportunity Hours – Elevation, Cathlamet Bay	6-27
Table 6-2: Nutrient Concentrations ¹ at USGS Stations at RM 53 and RM 141	6-34
Table 7-1: Risk and Uncertainty Conceptual Framework.....	7-3
Table 7-2: Pathways and Indicators Addressed by Project Monitoring Actions	7-7
Table 7-3: ESA Sec. 7(a)(2) Monitoring Actions Associated with Dredging and Disposal.....	7-9
Table 7-4: BMPs for Project Disposal and Dredging Actions	7-11
Table 7-5: Minimization Practices and Best Management Practices for Dredging	7-12

Table 7-6: Best Management Practices for Disposal	7-13
Table 8-1: ESA Sec. 7(a)(1) Ecosystem Research Actions (ERA).....	8-11
Table 8-2: Ecosystem Restoration Features for the Project	8-27
Table 9-1 – Conceptual Model Indicators Addressed by Project Actions	9-4
Table 9-2 – Monitoring and Adaptive Management Actions for the Columbia River Channel Improvements Project	9-7

VOLUME II – TECHNICAL APPENDICES (BOUND SEPARATELY) INCLUDE:

- Appendix A: Reconsultation Related Coorespondence and SEI Panel Vitae**
- Appendix B: An Assessment of Potential Risks by PAHs, PCBs and DDT in Dredged Material to Juvenile Salmonids in the Lower Columbia River: Mouth to Bonneville Dam**
- Appendix C: Proposed Disposal Site Descriptions**
- Appendix D: Biological Data on Columbia River Salmonids**
- Appendix E: Description of the Conceptual Model for Lower Columbia River Juvenile Salmonids**
- Appendix F: Oregon Health and Science University Modeling Results**
- Appendix G: Waterways Experiment Station Modeling Results**